

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
31 January 2002 (31.01.2002)

PCT

(10) International Publication Number
WO 02/08250 A2

- (51) International Patent Classification⁷: C07K 7/00 (74) Agent: ZENTARIS AG; Patent Department, Meissner Str. 35, 01445 Radebeul (DE).
- (21) International Application Number: PCT/EP01/07929 (81) Designated States (national): AU, BG, BR, BY, CA, CN, CO, CZ, EE, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LT, LV, MK, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, UZ, YU, ZA.
- (22) International Filing Date: 10 July 2001 (10.07.2001) (84) Designated States (regional): Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NI, PT, SE, TR).
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/220,178 24 July 2000 (24.07.2000) US
- (71) Applicant: ZENTARIS AG [DE/DE]; Weismüllerstrasse 45, 60314 Frankfurt (DE).
- (72) Inventor: DEGHENGHI, Romano; Chesaux Dessus, CH-1264 St. Cergue (CH).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 02/08250 A2

(54) Title: GHRELIN ANTAGONISTS

(57) Abstract: Novel peptides are disclosed having antagonistic properties to the Growth Hormone releasing peptide known as Ghrelin. The new peptides are useful in decreasing the circulating levels of Growth Hormone in a mammal and have therapeutic value.

GHRELIN ANTAGONISTS

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of provisional application serial no.
5 60/220,178 filed July 13, 2000.

TECHNICAL FIELD

The invention relates to new growth hormone antagonists that can be
administered to mammals to decrease the level of circulating growth hormone
10 therein.

BACKGROUND

Ghrelin is a name for a family of related peptides of 27 or 28 amino acids
which have been isolated in the stomach (M. Kojima et al., Nature, 402, 656-
15 660, 1999; H. Hosoda et al., J. Biol. Chem., May 8, 2000) by a distinct cell type
in rats and humans. It is further characterized by having an essential octanoyl
ester attached to a serine residue. Ghrelins are known to be potent releasers of
growth hormone (GH) in animals and man.

Synthetic variations of these peptides were investigated to determine
20 whether improvements can be made on them, and the present invention results
from that investigation.

SUMMARY OF THE INVENTION

It has surprisingly been found that novel peptides of the general formula:
25 Gly-Ser-Ser(Octanoyl)-Phe-A

where A is -OH, NH₂, Leu-Ser-Pro-Glu-X or -Ala-Lys-Leu-Gln-Pro-Arg-B

where B is -OH or NH₂ decrease, rather than increase the level of circulating

GH in mammals, presumably because these peptides antagonize the effect of the ghrelin. For this reason, these peptides are of value in normalizing or reducing elevated levels of growth hormone such as those found in acromegalic patients or in other tumor related overproduction GH.

5

DETAILED DESCRIPTION OF THE INVENTION

The instant peptides can be prepared by a number of synthetic methods such as exemplified in "Chemical Approaches to the Synthesis of Peptides and Proteins" by P. Lloyd-Williams et al., CRC Press, New York 1997, and similar works well known to peptide chemists.

These peptides are administered in aqueous solutions subcutaneously at doses of about 1 to 10mg/kg of body weight by bolus injection or by slow parenteral infusions. Also, these peptides may be administered intranasally or intrapulmonary or via a sustained release formulation that includes a biodegradable polymer incorporating the peptide, or by other means well known to those of ordinary skill in the art, such as implantable osmotic pumps and the like.

EXAMPLES

The following examples illustrate the effectiveness of these novel peptides.

Example 1

By solid phase synthesis the following peptide was prepared:
Gly-Ser-Ser(Octanoyl)-Phe-Leu-Ser-Pro-Glu

25

Theoretical MW: 948.9 Found 948.9

Solubility in water: 0.7mg/ml

Purity by HPLC analysis: 97.8%

The peptide was injected subcutaneously in 10-day old rats at a dose of
5 300mg/kg along with a solvent control and Ghrelin, and the circulating GH
determined at 15 minutes, as described in R. Deghenghi et al., Life Sciences 54,
1321-1328 (1994). The results were as follows:

<u>Compounds</u>	<u>GH ng/ml</u>
Solvent control	10.11 \pm 1.6
Ghrelin (human)	139.80 \pm 15.37
Peptide of Example 1	1.40 \pm 0.32

10 This demonstrates that the present peptide antagonizes the effect of the ghrelins
by reducing GH release to a level that is almost nil and much lower than the
solvent control.

Example 2

15 By the same method of Example 1, the following tetradecapeptide was
prepared:

Gly-Ser-Ser(Octanoyl)-Phe-Leu-Ser-Pro-Glu-Ala-Lys-Leu-Gln-Pro-Arg

Theoretical MW: 1642.7 Found: 1642.7

20 Solubility in water: 0.9 mg/ml

Purity by HPLC analysis: 95.0%

The peptide was administered to rats as described above in Example 1.
The results were as follows:

5

<u>Compound</u>	<u>GH ng/ml</u>
Solvent control	10.11 ± 1.6
Ghrelin (human)	140 ± 15
Peptide of Example 2	7.00 ± 3.5

Again the inventive peptide is seen to antagonize the effect of the ghrelins by significantly reducing GH release to a level that is below that of the control.

10

Example 3

By the same method of Example 1, the following peptide was prepared:

Gly-Ser-Ser(Octanoyl)-Phe

15 Theoretical MW: 522.4 Found: 522.4

Solubility in water: insoluble

Purity by HPLC analysis: 95.6%

The peptide was administered to rats as described above in Example 1.
20 The results were as follows:

<u>Compound</u>	<u>GH ng/ml</u>
Solvent control	10.1 ± 1.6

Ghrelin (human)	139.8 \pm 15.4
Peptide of Example 3	7.7 \pm 1.1

Yet again the inventive peptide antagonizes the effect of the ghrelins by significantly reducing GH release to a level that is below that of the control.

THE CLAIMS

What is claimed is:

- 5 1. A Ghrelin antagonist peptide of the formula:
 Gly-Ser-Ser(Octanoyl)-Phe-A
where A is -OH, NH₂, Leu-Ser-Pro-Glu-B, or -Ala-Lys-Leu-Gln-Pro-Arg-B,
where B is -OH or NH₂, wherein said peptide antagonizes the effect of ghrelins
when administered to a mammal.
- 10
2. The peptide of claim 1 specifically as
 Gly-Ser-Ser(Octanoyl)-Phe-Leu-Ser-Pro-Glu.
- 15 3. The peptide of claim 1 specifically as:
 Gly-Ser-Ser(Octanoyl)-Phe-Leu-Ser-Pro-Glu-Ala-Lys-Leu-Gln-Pro-Arg.
4. The peptide of claim 1 specifically as:
 Gly-Ser-Ser(Octanoyl)-Phe
- 20
5. A pharmaceutical composition comprising peptide of claim 1 in
the form of a pharmaceutically acceptable salt.
6. The composition of claim 5 which further comprises a carrier.
- 25 7. The composition of claim 5 in the form of a sustained release
formation or device for parenteral administration.

16. The method of claim 10 wherein the peptide is administered in a pharmaceutically acceptable inhalation formulation.

17. The method of claim 10 wherein the peptide is administered at a dosage of between about 1 and 10 mg/kg of body weight of the mammal.

5

18. The method of claim 10 wherein the peptide is administered to a mammal that is acromegalic.